We claim:

1	SA S
2	service
3	
4	
5	
6	
7	

1. A method for handling browser requests for more than one data

service with a personal proxy program, said method comprising:

- accessing a browser's Internet settings;
- 4 storing said browser's Internet settings;
- setting said browser to access said personal proxy program;
- 6 accepting in said personal proxy program a request from said Internet browser;
- 7 selecting a handler to handle said request; and
- 8 directing said request to said handler.
 - 2. The method of claim 1 wherein directing said request to said handler comprises directing said request to the Internet using said Internet settings if said the Internet should handle said request.
- The method of claim 1 wherein directing said request to said
 handler comprises directing said request to a second program running on a computer
 system that is running said personal proxy program.
 - 4. The method of claim 3 wherein said second program comprises a local cache server if said local cache server should handle said request.

osserzz ochose

DHJ

1

2

	1	5. The method of claim 1 wherein directing said request to said
	2	handler comprises directing said request to an external data appliance device.
	1	6. The method of claim 1 wherein directing said external data
√	2	appliance device receives data from a data broadcast network.
	1	7. A computer system arrangement for browsing data from more than
. W. E.	2	one data service, said computer system arrangement comprising:
	3	a browser program for browsing accessible data resources using data resource
,e [*]	4	requests;
ı	5	a first request handler for handling data resource requests;
Į.	2	
M	6	a second request handler for handling data resource requests;
	7	a personal proxy program, said personal proxy program accepting a request from
	8	said Internet browser, selecting a request handler to handle said request, and
	9	directing said request to a selected request handler.
	1	8. The apparatus of claim 7 wherein said first request handler
	2	comprises the Internet.



- selecting a handler to handle said request; and
 directing said request to said handler.
- P

- 14. The method of claim 13 wherein directing said modified
- 2 autoconfig file directs requests to said personal proxy program.

DHJ --25-- Geocast.P0016